

PRIVATE AND NOT FOR PUBLICATION

ARL Derivative

Week No.

22

WEEKLY OPERATING NOTICE

Containing

SAFETY NOTICES
TEMPORARY SPEED RESTRICTIONS
ENGINEERING ARRANGEMENTS
SIGNALLING AND PERMANENT WAY ALTERATIONS
(NEW ITEMS)
(DETAILS OF WORK ALREADY CARRIED OUT)
GENERAL INSTRUCTIONS AND NOTICES
(AMENDMENTS TO OPERATING PUBLICATIONS)
(MISCELLANEOUS INSTRUCTIONS)

SATURDAY 23 AUGUST 2025
to
FRIDAY 29 AUGUST 2025

THIS NOTICE COVERS SELECTED LINES ONLY

Printed on Fri Aug 15 2025

If the weekly supply of this notice is not received at the normal time, application must be made to your local Manager

LINES COVERED BY THIS NOTICE

EA1010 LIVERPOOL STREET TO SEVEN KINGS
EA1011 SEVEN KINGS TO IPSWICH[Seven Kings to Shenfield]
EA1040 ROMFORD TO UPMINSTER
EA1150 CHANNELSEA SOUTH JN TO STRATFORD CENTRAL JN WEST
EA1160 BETHNAL GREEN EAST JN TO BISHOPS STORTFORD
EA1170 HACKNEY DOWNS NORTH JN TO ENFIELD TOWN
EA1180 READING LANE JN TO NAVARINO ROAD JN (GRAHAM ROAD CURVE)
EA1190 BURY STREET JN TO CHESHUNT JN
EA1200 CLAPTON JN TO CHINGFORD
EA1280 STRATFORD CENTRAL JN EAST TO COPPERMILL JN
EA1290 TOTTENHAM SOUTH JN TO SOUTH TOTTENHAM EAST JN
EA1300 SOUTH TOTTENHAM WEST JN TO SEVEN SISTERS JN
EA1310 CAMDEN ROAD WEST JUNCTION TO RICHMOND
EA1320 CAMDEN ROAD WEST JN TO STRATFORD
EA1325 EAST LONDON LINE
EA1327 SILWOOD JN TO OLD KENT ROAD JN
EA1350 CHANNELSEA NORTH JN TO TEMPLE MILLS EAST JN
EA1370 GOSPEL OAK TO BARKING TILBURY LINE JN WEST
EA1380 FENCHURCH STREET TO SHOEBURYNESSE
EA1390 BARKING TILBURY LINE JN EAST TO PITSEA VIA TILBURY
LN165 HARRINGAY PARK JN TO HARRINGAY JN
MD101 EUSTON TO ARMITAGE JN (EXCL)
MD120 CAMDEN JN. TO WATFORD JN. DC LINES
MD135 HARLESDEN JN TO WILLESDEN CARRIAGE SHED SOUTH
MD145 CAMDEN ROAD JN. TO CAMDEN JN.
MD150 KENSAL GREEN JN. TO WILLESDEN SUBURBAN JN.
MD155 KENSAL GREEN JN. TO HARLESDEN JN. (CITY LINES)
MD160 WILLESDEN HIGH LEVEL JN. TO MITRE BRIDGE JN.
MD165 NORTH POLE JN. TO ACTON WELLS JN.
SO250 FACT JN/BATT PIER JN/FALC JN/CLAP JN/W.L. JN TO WILLESDEN JN
SO500 VICTORIA TO BRIGHTON
SO510 LONDON BRIDGE TO EPSOM DOWNS (VIA FOREST HILL)
SO645 BATTERSEA PARK TO PECKHAM RYE (ATLANTIC LINES)
SO650 BALHAM JN TO BECKENHAM JN/NORWOOD JN/SYDENHAM
SO680 SOUTH BERMONDSEY JUNCTION TO EPSOM (VIA MITCHAM JN)
SW100 WATERLOO TO CLAPHAM JUNCTION/LINFORD STREET (ALL LINES)
SW210 CLAPHAM JUNCTION TO READING
SW220 LATCHMERE JN TO KENSINGTON OLYMPIA

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
---------------	----------------	---------

Normally, signals are used to mark possession protection limits. Where points have to be used, this will be signified by the suffix "pts".

Detonator protection for possessions arranged under Rule Book Module T3 must normally be placed at 400 metres beyond the protecting signal (or points or through crossings beyond the protecting signal) at the start of the possession and 400 metres on the approach to the signal (or points or through crossings) at the exit from the possession. Where this distance cannot be obtained, the detonator protection must be placed at the greatest distance possible from the signal (or points or through crossings) concerned.

Where detonator protection has to be placed at less than the required 400 metres beyond the possession protecting signal (or points or through crossings) at the start of the possession or protection has to be placed at less than the required 400 metres on the approach to the signal (or points or through crossings) beyond the possession, then this will be indicated by a # symbol following the signal or points number quoted in the PROTECTION LIMITS.

EA1010 LIVERPOOL STREET TO SEVEN KINGS**SATURDAY 23 AUGUST**

Ref. No. P2025/3980851 Possession Manager Anglia IMDM Romford

Item 1	Liverpool Street	Platforms 5-12 Possession	0110 to 0430 SAT SAT	Track Maintenance 0m0ch and 3m25ch W2025/11165498 Litter / Graffiti Clearance 0m0ch and 0m40ch W2025/11524274 S&T Maintenance 0m0ch and 3m25ch W2025/11418977
	Liverpool Street and Bow Jn	Down and Up Main Possession	0110 to 0430 SAT SAT	
	Bethnal Green East Jn and Cambridge Heath	Down and Up Fast Possession	0110 to 0430 SAT SAT	
	Liverpool Street	Platforms 13-17 Possession	0110 to 0430 SAT SAT	
	Liverpool Street and Pudding Mill Lane	Down and Up Electric Possession	0110 to 0430 SAT SAT	
	Bow Jn	Up Stratford Down Possession	0110 to 0430 SAT SAT	

PROTECTION LIMITS

Down Main: Buffer Stops Platforms 5-12 to L229#

Up Main: L228# to Buffer Stops Platforms 5-12

Down Fast: Approach L127#

Up Fast: Beyond L126#

Down Electric: Buffer Stops Platforms 13-17 to L255#

Up Electric: L2129# pts to Buffer Stops Platforms 13-17

Up Stratford Down: Beyond L235#

TRAFFIC REMARKS

WA SERVICES TO TRAVEL OVER THE DOWN AND UP SUBURBAN BETWEEN HACKNEY DOWNS NORTH JN AND PLATFORMS 1-4 AT LIVERPOOL STREET FROM 0110 TO 0430 SAT

NO TRAINS TO BE STABLED IN PLATFORMS 11-17 AT LIVERPOOL STREET FROM 0110 TO 0430 SAT
TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 5-10 AT LIVERPOOL STREET FROM 0110 TO 0430 SAT

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>		
<u>ITEM 4 CONTINUED</u>		
Ilford L/End and Shenfield L/End Jn	Down Main Line Blockage (Between Trains)	0130 to 0430 SAT SAT S&T Maintenance 7m30ch and 19m55ch W2025/11418981

PROTECTION LIMITS

Up Electric: L512# to L362#

TRAFFIC REMARKS

UP ELECTRIC LINE SERVICES TO TRAVEL OVER THE UP MAIN/UP PASSENGER AVOIDING BETWEEN SHENFIELD L/END JN AND FOREST GATE JN

(EASED FOR C21)

GENERAL REMARKS****SAFETY NOTICE**** STAND DOWN AS C21 GRINDER PASSES DUE TO RISK FROM SPARKS**SUNDAY 24 AUGUST**

Ref. No.	P2025/4129311	Possession Manager	Anglia IMDM Romford
Item 5	Mile End and Forest Gate Jn	Down and Up Main Possession	0020 to 0800 SUN SUN Track Maintenance 2m70ch and 5m20ch W2025/11418737
	Bow Jn and Bow Midland	Down and Up Temple Mills Possession	0020 to 0115 SUN SUN Remove Rail Defects 2m70ch and 3m70ch W2025/11416133
	Stratford and Maryland	Platform 10A/Avoiding Line Possession	0020 to 0800 SUN SUN S&T Maintenance 2m70ch and 4m60ch W2025/11419014
	Stratford L/End and Forest Gate Jn	Down and Up Electric Possession	0115 to 0545 SUN SUN S&C Grinding Train 2m70ch and 4m60ch W2025/11167317
	Bow Jn and Temple Mills East Jn	Down and Up Temple Mills Possession	0115 to 0545 SUN SUN Track Maintenance 3m60ch and 4m20ch W2025/11415951
	Carpenters Road South Jn and Carpenters Road North Jn	Carpenters Road Curve Possession	0115 to 0545 SUN SUN Patrolling 3m60ch and 5m20ch W2025/11418913
	Carpenters Road North Jn and Stratford Central Jn West	Down and Up Channelsea Curve Possession	0115 to 0545 SUN SUN
	Bow Jn and Bow Midland	Down and Up Temple Mills Possession	0545 to 0800 SUN SUN

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
---------------	----------------	---------

EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued

ITEM 5 CONTINUED

PROTECTION LIMITS

0020 TO 0115 SUN AND 0545 TO 0800 SUN

Down Main: L225# to L309#

Up Main: L316# to L224#

Down Temple Mills: Approach L237#

Up Temple Mills: Beyond L234#

Platform 10A/Avoiding Line (Stratford): Beyond L2151# pts

0115 TO 0545 SUN

Down Main/Platform 10A (Stratford)/Avoiding Line (Stratford): L225# to L309#

Up Main: L316# to L224#

Down Electric: L257# to L313#

Up Electric: L320# to L256#

Down Temple Mills: Approach S701#

Up Temple Mills: Beyond S700#

Carpenters Road Curve: Beyond L258#

Down Channelsea Curve: Beyond L269#

Up Channelsea Curve: Approach NL651# pts

TRAFFIC REMARKS

ROUTE TO BE AVAILABLE FOR GA ECS MOVES BETWEEN ORIENT WAY AND LIVERPOOL STREET VIA TOTTENHAM HALE (REVERSE)

SERVICES TO TRAVEL OVER THE DOWN AND UP ELECTRIC BETWEEN BETHNAL GREEN EAST JN AND ILFORD DEPOT C/END JN

GENERAL REMARKS

W/11167317 S&C GRINDING TRAIN IN USE OTM842380

POSSESSION TO BE TAKEN AROUND S&C GRINDING TRAIN AT L229 SIGNAL ON THE DOWN MAIN

POSSESSION TO BE GIVEN UP AROUND S&C GRINDING TRAIN AT L289 SIGNAL ON THE DOWN MAIN

SUNDAY 24 AUGUST

Ref. No. P2025/4153797 Possession Manager Elizabeth Line Maintenance

Item 6	Liverpool Street	Eastbound Possession	0050 SUN	to	0545 SUN	OHL Work (Ground Level) 10km190m and 14km758m W2025/11258960
	Elizabeth Line and Pudding Mill Lane					
	Whitechapel Elizabeth Line	Westbound Possession	0050 SUN	to	0545 SUN	OHL Work (Ground Level) 10km190m and 14km396m W2025/11258962
	and Pudding Mill Lane					
	Abbey Wood Elizabeth Line	Westbound Possession	0050 SUN	to	0545 SUN	Patrolling 10km190m and 14km396m W2025/11258823
	and Stepney Green Junction					
Stepney Green Junction	Eastbound Possession	0050 SUN	to	0545 SUN	S&T Points 10km190m and 14km396m W2025/11258955	
and Abbey Wood Elizabeth Line						
Plumstead Depot Cross Over	Head Shunt Possession	0050 SUN	to	0545 SUN	Drainage Inspection 10km190m and 14km396m W2025/11258967 Critical Compliance Inspection 10km190m and 14km396m W2025/11259038	

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>		
<u>ITEM 6 CONTINUED</u>		
	Sidings Access Line Possession	0050 to 0545 SUN SUN S&T Maintenance 10km190m and 14km396m W2025/11258913
	Stabling Lines 1-4 Possession	0050 to 0545 SUN SUN Patrolling 10km190m and 14km396m W2025/11258948
	Stabling Sidings 5-8 Possession	0050 to 0545 SUN SUN Major Projects 10km190m and 14km758m W2025/11458338
	Maintenance Sidings 9-12 and head shunt Possession	0050 to 0545 SUN SUN Drainage Inspection 22km272m and 24km909m W2025/11259015 Patrolling 22km272m and 24km909m W2025/11259010 Critical Compliance Inspection 22km272m and 24km909m W2025/11259132 Major Projects 22km553m and 23km343m W2025/11512182

ISOLATION OF ELECTRICAL SECTIONS

0050 Sun - 0535 Sun

101 & 102 Complete

PROTECTION LIMITS

Westbound Beyond 2129pts# / XR397 to Approach XR141

Eastbound Beyond XR126 to Approach 2135pts# /

BufferstopABX

Plumstead Sidings Beyond XR501 / XR502 / XR503 /

XR504 / XR505 / XR506 / XR507 / XR508 to

Bufferstop

Maintenance Siding 9-12, Bufferstop Head shunt /

BufferstopABX

GENERAL REMARKS

LINE CLEAR VERIFICATION 'LCV' PROCESS APPLIES WITHIN THIS POSSESSION.

Tunnel Ventilation mode to be set by TM2 in accordance with TV plan

SUNDAY 24 AUGUST

Ref. No. P2025/4208358 Possession Manager Network Operations Anglia

Item 7	Forest Gate and Romford L/End Jn	Down and Up Main Possession	0130 to 0545 SUN SUN	OHL Work 6m0ch and 11m30ch W2025/11560109
	Manor Park and Ilford	Down Passenger Avoiding Possession	0130 to 0545 SUN SUN	Track Maintenance 6m0ch and 7m49ch W2025/11418868
	Forest Gate Jn and Ilford	Up Passenger Avoiding Possession	0130 to 0545 SUN SUN	Patrolling 6m0ch and 7m49ch W2025/11418956

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>		
<u>ITEM 7 CONTINUED</u>		
Forest Gate Jn and Romford L/End Jn	Down and Up Electric Possession	0130 to 0545 SUN SUN
Chadwell Heath	Turnback Line Possession	0130 to 0545 SUN SUN
Romford and Upminster	Upminster Branch Possession	0130 to 0545 SUN SUN
Romford	Romford Engineers Depot Sidings Possession	0130 to 0545 SUN SUN
	Up Sidings Sidings Possession	0130 to 0545 SUN SUN
Aldersbrook Carriage Sidings	All Lines BLOCKED To A/C Electric Trains	0130 to 0530 SUN SUN
Ilford Depot	All Lines BLOCKED To A/C Electric Trains	0130 to 0530 SUN SUN
	All Sidings in Depot BLOCKED To A/C Electric Trains	0130 to 0530 SUN SUN

Survey Work
6m20ch and 7m30ch
W2025/11529093

ISOLATION OF ELECTRICAL SECTIONS

0130 SUN TO 0530 SUN: 321,322,323,324,361,365,366,367,368,6301B,6302B,6303A,6304A
ISOLATION REF...GEI-04

PROTECTION LIMITS

Down Main/Down Passenger Avoiding: L2164A pts to L419
Up Main/Up Passenger Avoiding: L444 to L2165A pts
Down Electric: L2167 pts to L415
Up Electric: L442 to Fixed Diamond Crossing on Approach L2168 pts
Turnback Line (Chadwell Heath): To Buffer Stops
Upminster Branch: Buffer Stops Platform 1 Romford to Buffer Stops Platform 6 Upminster

TRAFFIC REMARKS

PANTOGRAPHS TO BE LOWERED ON ALL STABLED TRAINS IN ALDERSBROOK CS AND IN ILFORD DEPOT
ALL LINES, SIDINGS AND SHEDS.

SUNDAY 24 to MONDAY 25 AUGUST

Ref. No. P2025/4153799 Possession Manager Elizabeth Line Maintenance

Item 8	Stepney Green Junction and Pudding Mill Lane Pudding Mill Lane and Stepney Green Junction	Eastbound Possession Westbound Possession	2305 to 0530 SUN MON	S&T Maintenance 14km154m and 14km840m W2025/11259156 Drainage Inspection 14km154m and 14km840m W2025/11259237 OHL Work (Ground Level) 14km154m and 14km840m W2025/11259189 Patrolling 14km154m and 14km840m W2025/11259153
--------	---	--	-------------------------	---

SECTION B - ENGINEERING ARRANGEMENTS.

	At or Between	Lines Affected			Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>					
MONDAY 25 AUGUST					
Ref. No.	P2025/4124329		Possession Manager		Network Operations Anglia
Item 10	Forest Gate Jn and Shenfield L/End Jn	Down and Up Main Possession	0140 MON	to 0425 MON	Track Maintenance 6m20ch and 19m40ch W2025/11165742 S&T Maintenance 6m20ch and 19m40ch W2025/11419022 Structures Examination 7m40ch and 8m45ch W2025/11521903
	Manor Park and Ilford L/End	Down Passenger Avoiding Possession	0140 MON	to 0425 MON	
	Shenfield L/End and Shenfield L/End Jn	Up Passenger Loop Possession	0140 MON	to 0425 MON	
	Forest Gate Jn and Shenfield L/End Jn	Down and Up Electric Possession	0140 MON	to 0425 MON	
	Gidea Park	Stabling Lines 1-4 Possession	0140 MON	to 0425 MON	
	Ilford L/End and Forest Gate Jn	Up Passenger Avoiding Possession	0140 MON	to 0425 MON	
	Chadwell Heath	Turnback Line Possession	0140 MON	to 0425 MON	
	Gidea Park	Turnback Line Possession	0140 MON	to 0425 MON	

PROTECTION LIMITS

Down Main/Down Passenger Avoiding: L321# to L489#
Up Main: L514# to L340#
Up Passenger Loop (Shenfield): Beyond L510#
Down Electric/Stabling Lines 1-4 (Gidea Park): L323# to L491#
Up Electric: L512# to L338#
Up Passenger Avoiding: Approach L336#
Turnback Line (Chadwell Heath): To Buffer Stops
Turnback Line (Gidea Park): To Buffer Stops

TRAFFIC REMARKS

NO ACCESS TO/FROM ILFORD DEPOT OR GIDEA PARK CS

TUESDAY 26 AUGUST

Ref. No.	P2025/4208923		Possession Manager		Anglia IMDM Romford
Item 11	Liverpool Street	Platforms 1-4 Line Blockage (Between Trains)+Disconnect	0040 TUE	to 0505 TUE	Track Maintenance 0m0ch and 1m41ch W2025/11416193
	Liverpool Street and Cambridge Heath	Down and Up Suburban Line Blockage (Between Trains)+Disconnect	0040 TUE	to 0505 TUE	

PROTECTION LIMITS

Down Suburban: Buffer Stops Platforms 1-4 to L125
Up Suburban: L124 to Buffer Stops Platforms 1-4

SECTION B - ENGINEERING ARRANGEMENTS.

	At or Between	Lines Affected			Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>					
TUESDAY 26 AUGUST					
Ref. No.	P2025/3982026	Possession Manager	Network Operations Anglia		
Item 12	Liverpool Street	Platforms 13-17 Possession	0110 TUE	to 0450 TUE	Track Maintenance 0m0ch and 5m40ch W2025/11165748 Survey Work 0m0ch and 0m70ch W2025/11529956 OHL Work 0m0ch and 3m30ch W2025/11480860 S&T Maintenance 0m0ch and 5m40ch W2025/11419059 Other E&P Work 3m0ch and 3m50ch W2025/11417950 Station Work 5m12ch and 5m34ch W2025/11497279
	Liverpool Street and Forest Gate Jn	Down and Up Electric Possession	0110 TUE	to 0450 TUE	
	Bow Jn and Gas Factory Jn	Up Stratford Down Possession	0110 TUE	to 0450 TUE	
	Pudding Mill Lane	CRL Eastbound Possession	0110 TUE	to 0450 TUE	
		CRL Westbound Possession	0110 TUE	to 0450 TUE	
	Liverpool Street	Platforms 5-12 Possession	0125 TUE	to 0425 TUE	
	Liverpool Street and Stratford	Down and Up Main Possession	0125 TUE	to 0425 TUE	
	Bethnal Green East Jn and Bethnal Green North Jn	Down and Up Fast Possession	0125 TUE	to 0425 TUE	
	Bow Jn and Bow Midland	Down Temple Mills Possession	0125 TUE	to 0425 TUE	
	Stratford Central Jn West and Bow Jn	Up Temple Mills Possession	0125 TUE	to 0425 TUE	

PROTECTION LIMITS

0110 TO 0450 TUE

Down Electric: Buffer Stops Platforms 13-17 to L2165B# pts

Up Electric: L2166B# pts to Buffer Stops Platforms 13-17

Up Stratford Down: Beyond L235#

CRL Eastbound: Beyond L233#

CRL Westbound: Beyond L243#

0125 TO 0425 TUE

Down Main: Buffer Stops Platforms 5-12 to L2149B# pts

Up Main: L2153# pts to Buffer Stops Platforms 5-12

Down Fast: Approach Fixed Diamond Crossing to L2098B# pts

Up Fast: Beyond L2099B# pts

Down Temple Mills: Approach L2127B# pts

Up Temple Mills: Beyond L2147# pts

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>		
<u>ITEM 12 CONTINUED</u>		

TRAFFIC REMARKS

WA SERVICES TO TRAVEL OVER THE DOWN AND UP FAST BETWEEN HACKNEY DOWNS L/END JN TO BETHNAL GREEN EAST JN FROM 0040 TO 0125 TUE
 GE/WA SERVICES TO TRAVEL OVER THE DOWN AND UP MAIN BETWEEN PLATFORMS 5-12 AT LIVERPOOL STREET TO FOREST GATE JN FROM 0110 TO 0125 AND 0425 TO 0450 TUE

ACCESS TO/FROM BOW MIDLAND AVAILABLE OVER THE DOWN TEMPLE MILLS BI-DIRECTIONAL LINE

NO TRAINS TO BE STABLED IN PLATFORMS 1-4 AT LIVERPOOL STREET FROM 0040 TO 0505 TUE
 TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 13-17 AT LIVERPOOL STREET FROM 0110 TO 0450 TUE
 TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 5-12 AT LIVERPOOL STREET FROM 0125 TO 0425 TUE

GENERAL REMARKS

W/11165748 & W/11480860 INCLUDES ADDITIONAL WORKSITE MILEAGE OF 3M 10CH TO 3M 24CH ON THE GFB

TUESDAY 26 AUGUST

Ref. No. P2025/3986488 Possession Manager Anglia IMDM Romford

Item 13	Forest Gate Jn and Ilford Depot L/End Jn	Down and Up Electric Possession	0010 TUE	to	0425 TUE	Track Maintenance 5m70ch and 7m35ch W2025/11166143 S&T Maintenance 5m70ch and 7m35ch W2025/11419147
	Manor Park and Ilford L/End	Down Passenger Avoiding Possession	0010 TUE	to	0425 TUE	
	Ilford L/End and Forest Gate Jn	Up Passenger Avoiding Possession	0010 TUE	to	0425 TUE	

PROTECTION LIMITS

Down Electric: L2167# pts to L353#
 Up Electric: L372# to Fixed Diamond Crossing on Approach L2168# pts
 Down Passenger Avoiding: Beyond L2173# pts
 Up Passenger Avoiding: Beyond L2181# pts

TRAFFIC REMARKS

ELECTRIC LINE SERVICES TO TRAVEL OVER THE DOWN AND UP MAIN BETWEEN STRATFORD C/END JN AND ILFORD DEPOT L/END JN
 SERVICES TO/FROM THAMESIDE TO TRAVEL OVER THE ELECTRIC LINES TO/FROM FOREST GATE JN

ACCESS TO ILFORD DEPOT AVAILABLE VIA L/END JN

TUESDAY 26 AUGUST

Ref. No. P2025/3986553 Repeated item, please see details under route EA1011

Item 27

SECTION B - ENGINEERING ARRANGEMENTS.

	At or Between	Lines Affected			Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>					
WEDNESDAY 27 AUGUST					
Ref. No.	P2025/3980943		Possession Manager	Anglia IMDM Romford	
Item 14	Liverpool Street	Platforms 1-10 Possession	0040 WED	to 0455 WED	Track Maintenance 0m0ch and 4m50ch W2025/11165784 Litter / Graffiti Clearance 0m0ch and 0m40ch W2025/11523700 OHL Work 0m0ch and 3m5ch W2025/11560287 OHL Work 0m0ch and 3m30ch W2025/11481492 Remove Rail Defects 0m0ch and 3m70ch W2025/11416409 S&T Maintenance 0m0ch and 4m50ch W2025/11419192
	Liverpool Street and Cambridge Heath	Down and Up Suburban Possession	0040 WED	to 0455 WED	
	Liverpool Street	Platforms 11-12 Possession	0110 WED	to 0455 WED	
	Liverpool Street and Bow Jn	Down and Up Main Possession	0110 WED	to 0455 WED	
	Bethnal Green East Jn and Cambridge Heath	Down and Up Fast Possession	0110 WED	to 0455 WED	
	Bow Jn and Bow Midland	Down and Up Temple Mills Possession	0110 WED	to 0455 WED	
	Liverpool Street	Platforms 13-17 Possession	0125 WED	to 0430 WED	
	Liverpool Street and Maryland East Crossovers	Down and Up Electric Possession	0125 WED	to 0430 WED	
	Bow Jn and Gas Factory Jn	Up Stratford Down Possession	0125 WED	to 0430 WED	
	Pudding Mill Lane	CRL Eastbound Possession	0125 WED	to 0430 WED	
		CRL Westbound Possession	0125 WED	to 0430 WED	
	Cambridge Heath and Hackney Downs	Down and Up Suburban TRAINS	0125 WED	to 0355 WED	
		Down and Up Fast TRAINS	0125 WED	to 0355 WED	
	Reading Lane Jn and Navarino Road Jn	Graham Road Curve TRAINS	0125 WED	to 0355 WED	

ISOLATION OF ELECTRICAL SECTIONS

0125 WED TO 0355 WED: 301,302,303,304,305,306,309,310,311,312,313,314,315,316

ISOLATION REF...GEI-05

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
---------------	----------------	---------

EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued

ITEM 14 CONTINUED

PROTECTION LIMITS

0040 TO 0455 WED

Down Suburban: Buffer Stops Platforms 1-10 to L121#

Up Suburban: L120# to Buffer Stops Platforms 1-10

0110 TO 0455 WED

Down Main: Buffer Stops Platforms 11-12 to L2126B# pts

Up Main: L2124B# pts to Buffer Stops Platforms 11-12

Down Fast: Approach L123#

Up Fast: Beyond L122#

Down Temple Mills: Approach L2127B# pts

Up Temple Mills: Beyond L2128B# pts

0125 TO 0430 WED

Down Electric: Buffer Stops Platforms 13-17 to L2161B# pts

Up Electric: L2163B# pts to Buffer Stops Platforms 13-17

Up Stratford Down: Approach UR518#

CRL Eastbound: Beyond L233#

CRL Westbound: Beyond L243#

TRAFFIC REMARKS

WA SERVICES TO TRAVEL OVER THE DOWN AND UP FAST BETWEEN HACKNEY DOWNS L/END JN TO BETHNAL GREEN EAST JN FROM 0040 TO 0110 WED

GE SERVICES TO TRAVEL OVER THE DOWN AND UP ELECTRIC BETWEEN PLATFORMS 13-17 AT LIVERPOOL STREET TO BOW JN FROM 0110 TO 0125 AND 0430 TO 0455 WED

STANSTED AIRPORT SERVICES TO TRAVEL OVER THE DOWN AND UP ELECTRIC BETWEEN PLATFORMS 13-17 AT LIVERPOOL STREET AND BOW JN, AND VIA PLATFORMS 11-12 AT STRATFORD FROM 0430 TO 0455 WED

ACCESS TO/FROM BOW MIDLAND AVAILABLE OVER THE DOWN TEMPLE MILLS BI-DIRECTIONAL LINE

NO TRAINS TO BE STABLED IN PLATFORMS 1-10 AT LIVERPOOL STREET FROM 0040 TO 0455 WED

TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 11-12 AT LIVERPOOL STREET FROM 0110 TO 0455 WED WITH PANTOGRAPHS LOWERED

TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 13-17 AT LIVERPOOL STREET FROM 0125 TO 0430 WED WITH PANTOGRAPHS LOWERED

GENERAL REMARKS

W/11165784 & W/11481492 INCLUDES ADDITIONAL WORKSITE MILEAGE OF 2M 75CH TO 3M 24CH ON THE GFB

WEDNESDAY 27 AUGUST

Ref. No. P2025/3987349 Possession Manager Network Operations Anglia

Item 15	Maryland East Crossovers and Romford L/End Jn	Down and Up Main Possession	0035 to 0505 WED WED	Track Maintenance 4m60ch and 11m75ch W2025/11166165
	Manor Park and Ilford L/End	Down Passenger Avoiding Possession	0035 to 0505 WED WED	S&T Maintenance 4m60ch and 11m75ch W2025/11419350
	Ilford L/End and Forest Gate Jn	Up Passenger Avoiding Possession	0035 to 0505 WED WED	Survey Work 6m20ch and 7m30ch W2025/11529136

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>		
<u>ITEM 15 CONTINUED</u>		

Station Work
8m17ch and 10m14ch
W2025/11520300

ISOLATION OF ELECTRICAL SECTIONS

0035 WED TO 0505 WED: 323,324,367,368,6303A
ISOLATION REF...GEI-01

PROTECTION LIMITS

Down Main: L2160A# pts to L2216B# pts
Up Main: L2215B# pts to L2161A# pts
Down Passenger Avoiding: Approach L341#
Up Passenger Avoiding: Approach L336#

TRAFFIC REMARKS

MAIN LINE SERVICES TO TRAVEL OVER THE DOWN AND UP ELECTRIC BETWEEN MARYLAND EAST CROSSOVERS AND GIDEA PARK C/END JN

ACCESS AVAILABLE TO/FROM ROMFORD SIDINGS

THURSDAY 28 AUGUST

Ref. No. P2025/3981012 Possession Manager Network Operations Anglia

Item 16	Liverpool Street	Platforms 13-17 Possession	0005 THU	to	0450 THU	Track Maintenance 0m0ch and 5m40ch W2025/11165997 Litter / Graffiti Clearance 0m0ch and 0m40ch W2025/11523895 Survey Work 0m0ch and 0m70ch W2025/11529972 OHL Work 0m0ch and 3m30ch W2025/11481630 Remove Rail Defects 0m0ch and 3m70ch W2025/11416418 S&T Maintenance 0m0ch and 5m40ch W2025/11419231 Station Work 5m12ch and 5m34ch W2025/11497280
	Liverpool Street and Pudding Mill Lane	Down and Up Electric Possession	0005 THU	to	0045 THU	
	Bow Jn and Gas Factory Jn	Up Stratford Down Possession	0005 THU	to	0450 THU	
	Liverpool Street and Forest Gate Jn	Down and Up Electric Possession	0045 THU	to	0450 THU	
	Pudding Mill Lane	CRL Eastbound Possession	0045 THU	to	0450 THU	
		CRL Westbound Possession	0045 THU	to	0450 THU	
	Liverpool Street	Platforms 5-12 Possession	0110 THU	to	0430 THU	
	Liverpool Street and Stratford	Down and Up Main Possession	0110 THU	to	0430 THU	
	Bethnal Green East Jn and Cambridge Heath	Down and Up Fast Possession	0110 THU	to	0430 THU	
	Bow Jn and Bow Midland	Down Temple Mills Possession	0110 THU	to	0430 THU	
	Stratford Central Jn West and Bow Jn	Up Temple Mills Possession	0110 THU	to	0430 THU	

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
---------------	----------------	---------

EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued

ITEM 16 CONTINUED

PROTECTION LIMITS

0005 TO 0045 THU

Down Electric: Buffer Stops Platforms 13-17 to L2135# pts

Up Electric: L2129# pts to Buffer Stops Platforms 13-17

Up Stratford Down: Approach UR518#

0045 TO 0450 THU

Down Electric: Buffer Stops Platforms 13-17 to L2165B# pts

Up Electric: L2166B# pts to Buffer Stops Platforms 13-17

Up Stratford Down: Approach UR518#

CRL Eastbound: Beyond L233#

CRL Westbound: Beyond L243#

0110 TO 0430 THU

Down Main: Buffer Stops Platforms 5-12 to L2149B# pts

Up Main: L2153# pts to Buffer Stops Platforms 5-12

Down Fast: Approach L123#

Up Fast: Beyond L122#

Down Temple Mills: Approach L2127B# pts

Up Temple Mills: Beyond L2147# pts

TRAFFIC REMARKS

GE SERVICES TO TRAVEL OVER THE DOWN AND UP MAIN BETWEEN PLATFORMS 5-12 AT LIVERPOOL STREET AND MARYLAND EAST CROSSOVERS FROM 0005 TO 0045 THU

GE SERVICES TO TRAVEL OVER THE DOWN AND UP MAIN BETWEEN PLATFORMS 5-12 AT LIVERPOOL STREET AND FOREST GATE JN FROM 0045 TO 0110 AND 0430 TO 0450 THU

WA SERVICES TO TRAVEL OVER THE DOWN AND UP SUBURBAN BETWEEN HACKNEY DOWNS NORTH JN AND PLATFORMS 1-4 AT LIVERPOOL STREET FROM 0110 TO 0430 THU

ACCESS TO/FROM BOW MIDLAND AVAILABLE OVER THE DOWN TEMPLE MILLS BI-DIRECTIONAL LINE

ACCESS AVAILABLE TO/FROM CENTRAL OPERATING SECTION UNTIL 0045 THU

NO TRAINS TO BE STABLED IN PLATFORMS 13-17 AT LIVERPOOL STREET FROM 0005 TO 0450 THU
 TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 5-12 AT LIVERPOOL STREET FROM 0110 TO 0430 THU

TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 1-4 AT LIVERPOOL STREET

(EASED FOR C21 IN TRAFFIC GRINDER)

GENERAL REMARKS

W/11165997 & W/11481630 INCLUDES ADDITIONAL WORKSITE MILEAGE OF 2M 75CH TO 3M 24CH ON THE GFB

THURSDAY 28 AUGUST

Ref. No. P2025/3987909 Possession Manager Anglia IMDM Romford

Item 17	Forest Gate Jn and Ilford Depot C/End Jn	Down and Up Electric Possession	0040 THU	to 0425 THU	Track Maintenance 5m70ch and 8m10ch W2025/11166247 S&T Maintenance 5m70ch and 8m10ch W2025/11419379
	Manor Park and Ilford L/End	Down Passenger Avoiding Possession	0040 THU	to 0425 THU	

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>		
<u>ITEM 17 CONTINUED</u>		
Ilford L/End and Forest Gate Jn	Up Passenger Avoiding Possession	0040 to 0425 THU THU
Ilford Depot	Inlet/Outlet Road Line Blockage	0040 to 0425 THU THU
	Goods Line Line Blockage	0040 to 0425 THU THU
	Carriage Shed Line Line Blockage	0040 to 0425 THU THU
	No.1 and No.2 Roads Line Blockage	0040 to 0425 THU THU

PROTECTION LIMITS

Down Electric: L2167# pts to L357#

Up Electric: L388# to Fixed Diamond Crossing on Approach L2168# pts

Down Passenger Avoiding: Beyond L2173# pts

Up Passenger Avoiding: Beyond L2181# pts

PROTECTION LIMITS FOR LINE BLOCKAGES:

Ilford Depot Inlet/Outlet:

Goods Line: L378 to Buffer Stops

Carriage Shed Line: L380 to Buffer Stops

No.2 Line: L382 to L2186A pts

No.1 Line: L384 to Fixed Diamond Crossing on Approach L2187 pts

TRAFFIC REMARKS

ELECTRIC LINE SERVICES TO TRAVEL OVER THE DOWN AND UP MAIN BETWEEN STRATFORD C/END JN AND ROMFORD L/END JN

SERVICES TO/FROM THAMESIDE TO TRAVEL OVER THE ELECTRIC LINES TO/FROM FOREST GATE JN

NO ACCESS TO ILFORD DEPOT VIA L/END JN FROM 0040 TO 0425 THU, TRAINS TO DIVERT VIA COUNTRY END

THURSDAY 28 AUGUST

Ref. No. P2025/3987590 Repeated item, please see details under route EA1011

Item
34**FRIDAY 29 AUGUST**

Ref. No. P2025/3981094 Possession Manager Anglia IMDM Romford

Item 18	Liverpool Street Platforms 5-12 Possession	0030 to 0500 FRI FRI	Track Maintenance 0m0ch and 4m50ch W2025/11165929 Litter / Graffiti Clearance 0m0ch and 0m40ch W2025/11523913
	Liverpool Street and Stratford Down and Up Main Possession	0030 to 0500 FRI FRI	
	Bethnal Green East Jn and Cambridge Heath Down and Up Fast Possession	0030 to 0500 FRI FRI	

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks		
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>				
<u>ITEM 18 CONTINUED</u>				
Bow Jn and Bow Midland	Down Temple Mills Possession	0030 FRI	to 0500 FRI	OHL Work 0m0ch and 3m30ch W2025/11482325 Remove Rail Defects 0m0ch and 4m50ch W2025/11417208 Point Heater Maintenance 3m0ch and 3m30ch W2025/11417702
Stratford Central Jn West and Bow Jn Liverpool Street	Up Temple Mills Possession Platforms 13-17 Possession	0030 FRI	to 0500 FRI	
Liverpool Street and Maryland East Crossovers	Down and Up Electric Possession	0105 FRI	to 0430 FRI	
Bow Jn and Gas Factory Jn	Up Stratford Down Possession	0105 FRI	to 0430 FRI	
Pudding Mill Lane	CRL Eastbound Possession	0105 FRI	to 0430 FRI	
	CRL Westbound Possession	0105 FRI	to 0430 FRI	
Liverpool Street	Platforms 1-4 Possession	0125 FRI	to 0315 FRI	
Liverpool Street and Bethnal Green North Jn	Down and Up Suburban Possession	0125 FRI	to 0315 FRI	

PROTECTION LIMITS

0030 TO 0500 FRI
 Down Main: Buffer Stops Platforms 5-12 to L2149B# pts
 Up Main: L2153# pts to Buffer Stops Platforms 5-12
 Down Fast: Approach L123#
 Up Fast: Beyond L122#
 Down Temple Mills: Approach L2127B# pts
 Up Temple Mills: Beyond L2147# pts

0105 TO 0430 FRI
 Down Electric: Buffer Stops Platforms 13-17 to L2161B# pts
 Up Electric: L2163B# pts to Buffer Stops Platforms 13-17
 Up Stratford Down: Approach UR518#
 CRL Eastbound: Beyond L233#
 CRL Westbound: Beyond L243#

0125 TO 0315 FRI
 Down Suburban: Buffer Stops Platforms 1-4 to L2098A# pts
 Up Suburban: L110# to Buffer Stops Platforms 1-4

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1010 LIVERPOOL STREET TO SEVEN KINGS - Continued</u>		
<u>ITEM 18 CONTINUED</u>		

TRAFFIC REMARKS

GE SERVICES TO TRAVEL OVER THE DOWN AND UP ELECTRIC BETWEEN PLATFORMS 13-17 AT LIVERPOOL STREET AND FOREST GATE JN FROM 0030 TO 0105 AND 0430 TO 0500 FRI
 WA SERVICES TO TRAVEL OVER THE DOWN AND UP SUBURBAN BETWEEN HACKNEY DOWNS NORTH JN AND PLATFORMS 1-4 AT LIVERPOOL STREET FROM 0030 TO 0125 FRI AND 0315 TO 0500 FRI

ACCESS TO/FROM BOW MIDLAND AVAILABLE OVER THE DOWN TEMPLE MILLS BI-DIRECTIONAL LINE

NO TRAINS TO BE STABLED IN PLATFORMS 5-12 AT LIVERPOOL STREET FROM 0030 TO 0500 FRI
 TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 13-17 AT LIVERPOOL STREET FROM 0105 TO 0430 FRI
 TRAINS TO BE STABLED AS REQUIRED IN PLATFORMS 1-4 AT LIVERPOOL STREET FROM 0125 TO 0315 FRI

GENERAL REMARKS

W/11165929 & W/11482325 INCLUDES ADDITIONAL WORKSITE MILEAGE OF 2M 75CH TO 3M 24CH ON THE GFB

FRIDAY 29 AUGUST

Ref. No. P2025/3987021 Possession Manager Network Operations Anglia

Item 19	Maryland East Crossovers and Romford L/End Jn	Down and Up Main Possession	0035 FRI	to	0505 FRI	Track Maintenance 4m60ch and 11m75ch W2025/11166292
	Manor Park and Ilford L/End	Down Passenger Avoiding Possession	0035 FRI	to	0505 FRI	S&T Maintenance 4m60ch and 11m75ch W2025/11419520
	Ilford L/End and Forest Gate Jn	Up Passenger Avoiding Possession	0035 FRI	to	0505 FRI	Move Materials 5m15ch and 9m0ch W2025/11538494 Survey Work 6m20ch and 7m30ch W2025/11529139 Station Work 8m17ch and 10m14ch W2025/11520312

ISOLATION OF ELECTRICAL SECTIONS

0035 FRI TO 0505 FRI: 323,324,367,368,6303A
 ISOLATION REF...GEI-02,SEE IPF FOR DETAILS.

PROTECTION LIMITS

Down Main: L2160A# pts to L2216B# pts
 Up Main: L2215# pts to L2161A# pts
 Down Passenger Avoiding: Approach L341#
 Up Passenger Avoiding: Approach L336#

TRAFFIC REMARKS

MAIN LINE SERVICES TO TRAVEL OVER THE DOWN AND UP ELECTRIC BETWEEN MARYLAND EAST CROSSOVERS AND GIDEA PARK C/END JN

ACCESS AVAILABLE TO/FROM ROMFORD SIDINGS

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
---------------	----------------	---------

EA1011 SEVEN KINGS TO IPSWICH - Continued

ITEM 60 CONTINUED

PROTECTION LIMITS

Down Southend: L2281A# pts to L533

Up Southend/Up Passenger Loop (Shenfield)/Platform 1 (Shenfield): L570 to L510#

Southend Loop: Beyond L517#

TUESDAY 26 AUGUST

Ref. No. P2025/3986553 Possession Manager Network Operations Anglia

Item 27	Seven Kings and Romford L/End Jn Chadwell Heath	Down and Up Electric Possession Turnback Line Possession	0025 TUE to 0130 TUE	0130 TUE to 0500 TUE	Track Maintenance 8m10ch and 21m30ch W2025/11166109 S&T Maintenance 8m10ch and 12m0ch W2025/11419183 Platform / Structures Gauging 8m10ch and 20m20ch W2025/11417387 Point Heater Maintenance 10m0ch and 10m20ch W2025/11417629 OHL Work 14m40ch and 21m30ch W2025/11560240 Survey Work 14m70ch and 18m20ch W2025/11517584
	Ilford Depot L/End Jn and Shenfield C/End	Down and Up Electric Possession	0130 TUE to 0500 TUE		
	Gidea Park	Stabling Lines 1-4 Possession	0130 TUE to 0500 TUE		
	Shenfield	Platforms 4-5 Possession	0130 TUE to 0500 TUE		
	Shenfield C/End and Mountnessing Jn	Southend Loop Possession	0130 TUE to 0500 TUE		
	Gidea Park	Turnback Line Possession	0130 TUE to 0500 TUE		
	Shenfield	Bay Line/Platform 6 Possession	0130 TUE to 0500 TUE		
	Ilford Depot	Inlet/Outlet Road Line Blockage	0130 TUE to 0500 TUE		
		Siding Spur Line Blockage	0130 TUE to 0500 TUE		
	Shenfield	Stabling Sidings 1-3 Sidings Possession	0130 TUE to 0500 TUE		
	Mountnessing Jn and Wickford L/End	Down and Up Southend BLOCKED To A/C Electric Trains	0140 TUE to 0410 TUE		

ISOLATION OF ELECTRICAL SECTIONS

0140 TUE TO 0410 TUE:329BC,330ABCDEF,371,372

ISOLATION REF...GEI-06

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
---------------	----------------	---------

EA1011 SEVEN KINGS TO IPSWICH - Continued

ITEM 27 CONTINUED

PROTECTION LIMITS

0025 TO 0130 TUE

Down Electric: L365# to L2218B# pts

Up Electric: L2217B# pts to L396#

Turnback Line (Chadwell Heath): To Buffer Stops

0130 TO 0500 TUE

Down Electric/Stabling Lines 1-4 (Gidea Park)/Southend Loop: L355# to L2294# pts

Southend Loop/Up Electric: L2294# pts to L374#

Turnback Line (Chadwell Heath): To Buffer Stops

Turnback Line (Gidea Park): To Buffer Stops

Bay Line/Platform 6 (Shenfield): To Buffer Stops Platform 6 Shenfield

PROTECTION LIMITS FOR LINE BLOCKAGES:

Iford Depot C/End Inlet/Outlet Road: L2197B pts to L5093 (LOS)

Siding Spur (Country End): L361 to Buffer Stops

TRAFFIC REMARKS

ELECTRIC LINE SERVICES TO TRAVEL OVER THE DOWN AND UP MAIN BETWEEN STRATFORD C/END JN AND ROMFORD FROM 0025 TO 0130 TUE

ELECTRIC LINE SERVICES TO TRAVEL OVER THE DOWN AND UP MAIN BETWEEN STRATFORD C/END JN AND SHENFIELD FROM 0130 TO 0500 TUE

SOUTHEND LINE SERVICES TO TRAVEL OVER THE DOWN AND UP SOUTHEND LINES BETWEEN SHENFIELD AND MOUNTNESSING JN BETWEEN 0430 AND 0500 TUE

ACCESS AVAILABLE TO/FROM ILFORD DEPOT AT L/END JN ONLY FROM 0130 TUE

NO ACCESS AVAILABLE TO/FROM GIDEA PARK STABLING LINES FROM 0130 TO 0500 TUE

ELIZABETH LINE TO STABLE TRAINS IN PLATFORM 1 AND THE UP PASSENGER LOOP AT SHENFIELD
ELIZABETH LINE TO STABLE ONE UNIT AT LIVERPOOL STREET

PANTOGRAPHS TO BE LOWERED ON ALL STABLED TRAINS IN SHENFIELD STABLING SIDINGS 1,2,3

LINE BLOCKAGE TO BE GIVEN UP AS REQUIRED FOR PASSAGE OF TRAINS

GENERAL REMARKS

W/11166109 INCLUDES ADDITIONAL WORKSITE MILEAGE OF 20M20CH TO 21M25CH ON THE SOUTHEND LOOP

TUESDAY 26 to WEDNESDAY 27 AUGUST

Ref. No. P2025/3987186 Possession Manager Network Operations Anglia

Item 29	Gidea Park C/End Jn and Shenfield L/End Jn	Down and Up Main Possession	2305 TUE	to	0040 WED	Track Maintenance 12m20ch and 20m20ch W2025/11166331
	Romford L/End Jn and Shenfield Jn	Down and Up Main Possession	0040 WED	to	0505 WED	Tamping 12m20ch and 13m0ch W2025/11166681
	Romford and Upminster	Upminster Branch Possession	0040 WED	to	0505 WED	Platform / Structures Gauging 12m20ch and 20m20ch W2025/11417361
	Shenfield and Mountnessing Jn	Down and Up Southend Possession	0040 WED	to	0505 WED	Point Heater Maintenance 12m30ch and 12m55ch W2025/11417994

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1011 SEVEN KINGS TO IPSWICH - Continued</u>		
<u>ITEM 29 CONTINUED</u>		
Shenfield	Platforms 1-3 and Up Passenger Loop Possession	0040 to 0505 WED WED Station Work 13m33ch and 13m50ch W2025/11447033 Survey Work 14m20ch and 20m20ch W2025/11517478 Station Work 18m2ch and 19m70ch W2025/11523690

ISOLATION OF ELECTRICAL SECTIONS

PROTECTION LIMITS

2305 TUE TO 0040 WED
Down Main: L443# to L489#
Up Main: L2246# pts to L476#

0040 WED TO 0505 WED
Down Main: L2217A# pts to L2283B# pts
Up Main: L2284B# pts to L2216A# pts
Upminster Branch: Buffer Stops Romford to Buffer Stops Upminster
Down Southend: Approach L519#
Up Southend/Platform 1 (Shenfield)/Up Passenger Loop (Shenfield): Beyond L556#

TRAFFIC REMARKS

MAIN LINE SERVICES TO TRAVEL OVER THE DOWN AND UP ELECTRIC BETWEEN GIDEA PARK C/END JN AND SHENFIELD L/END JN BETWEEN 2305 TUE AND 0040 WED
MAIN LINE SERVICES TO TRAVEL OVER THE DOWN AND UP ELECTRIC BETWEEN ROMFORD L/END JN AND SHENFIELD BETWEEN 0040 AND 0505 WED
SOUTHEND LINE SERVICES TO TRAVEL OVER THE SOUTHEND LOOP BETWEEN SHENFIELD AND MOUNTNESSING JN

ACCESS AVAILABLE TO/FROM ROMFORD SIDINGS

ELIZABETH LINE TO STABLE TRAINS IN PLATFORMS 5-6 AT SHENFIELD

GENERAL REMARKS

W/11166681 TAMPER IN USE OTM842315
POSSESSION TO BE TAKEN AROUND TAMPER AT L444 SIGNAL ON THE UP MAIN
LINE BLOCKAGE MAY BE REQUIRED FOR SET UP AND PACKING AWAY OF OTM
W/11166331 INCLUDES ADDITIONAL WORKSITE MILEAGE OF 0M 00CH TO 3M 00CH ON THE ROU

WEDNESDAY 27 AUGUST

Ref. No. P2025/3987349 Repeated item, please see details under route EA1010

Item
15

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1160 BETHNAL GREEN EAST JN TO BISHOPS STORTFORD - Continued</u>		
<u>ITEM 90 CONTINUED</u>		

PROTECTION LIMITS

Down Cambridge: L1015 to L1025

Up Cambridge: L1026 to L1014

Lea Valley Reversible: L2524 pts to Buffer Stops Meridian Water

SATURDAY 23 AUGUST

Ref. No. P2025/4225663 Possession Manager Anglia IMDM Tottenham Hale

Item 91	Meridian Water and Waltham Cross	Down and Up Cambridge Possession	0105 SAT	to SAT	0420 SAT	OHL Work (Maintenance) 9m60ch and 12m6ch W2025/11459734
	Meridian Water and Cheshunt Jn	Down and Up Cambridge BLOCKED To A/C Electric Trains	0105 SAT	to SAT	0420 SAT	

ISOLATION OF ELECTRICAL SECTIONS

0105 SAT TO 0420 SAT:461,462

ISOLATION REF...WA02

PROTECTION LIMITS

Down Cambridge: L1033# to L1049#

Up Cambridge: L1052 to L1036#

GENERAL REMARKS

W/11459734 BRIMSDOWN AND ENFIELD LOCK BARRIERS TO BE MANNED AS REQUIRED(TOTTENHAM DU TO SUPPLY STAFF)

SATURDAY 23 AUGUST

Ref. No. P2025/4057034 Possession Manager Anglia IMDM Tottenham Hale

Item 92	Sawbridgeworth and Bishops Stortford C/End	Down and Up Cambridge Line Blockage (Between Trains)+Disconnect	0100 SAT	to SAT	0600 SAT	P & D Maintenance 26m75ch and 30m65ch W2025/11434628 S&T Maintenance 29m5ch and 30m65ch W2025/10887542
	Bishops Stortford	Platform 3/Up Passenger Loop Line Blockage (Between Trains)+Disconnect	0100 SAT	to SAT	0600 SAT	
		Down and Up Sidings Sidings Possession	0100 SAT	to SAT	0600 SAT	

PROTECTION LIMITS

Down Cambridge: L1129 to L1157

Up Cambridge/Platform 3 (Bishops Stortford)/Up Passenger Loop (Bishops Stortford): L1170 to L1136

SUNDAY 24 AUGUST

Ref. No. P2025/3939000 Possession Manager Anglia IMDM Tottenham Hale

Item 93	Bethnal Green East Jn and Hackney Downs	Down and Up Fast Line Blockage	0430 SUN	to SUN	0630 SUN	Patrolling 1m40ch and 2m67ch W2025/10872822
---------	---	-----------------------------------	----------	--------	----------	---

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
<u>EA1160 BETHNAL GREEN EAST JN TO BISHOPS STORTFORD - Continued</u>		
<u>ITEM 93 CONTINUED</u>		

PROTECTION LIMITS

Down Fast: L2091 pts to L147

Up Fast: L142 to L102

TRAFFIC REMARKS

SERVICES TO TRAVEL OVER THE DOWN AND UP SUBURBAN BETWEEN BETHNAL GREEN WEST JN AND HACKNEY DOWNS NORTH JN

Maintenance: Patrolling

SUNDAY 24 AUGUST

Ref. No. P2025/3943359 Repeated item, please see details under route EA1280

Item
186**SUNDAY 24 AUGUST**

Ref. No. P2025/4057014 Possession Manager Anglia IMDM Tottenham Hale

Item 94	Tottenham Hale and Meridian Water	Down and Up Cambridge Line Blockage (Between Trains)+Disconnect	0100 to 0600 SUN SUN	S&T Maintenance 6m12ch and 7m47ch W2025/10887539
	Lea Bridge Jn and Meridian Water	Lea Valley Reversible Line Blockage (Between Trains)+Disconnect	0100 to 0600 SUN SUN	

PROTECTION LIMITS

Down Cambridge: L1015 to L1023

Up Cambridge: L1026 to L1014

Lea Valley Reversible: Buffer Stops Meridian Water to L1002

SUNDAY 24 AUGUST

Ref. No. P2025/4057336 Possession Manager Anglia IMDM Tottenham Hale

Item 95	Spellbrook LC (CCTV) and Bishops Stortford C/End	Down and Up Cambridge Line Blockage (Between Trains)+Disconnect	0100 to 0600 SUN SUN	S&T Maintenance 29m5ch and 30m65ch W2025/10887463
	Bishops Stortford	Platform 3/Up Passenger Loop Line Blockage (Between Trains)+Disconnect	0100 to 0600 SUN SUN	
		Down and Up Sidings Sidings Possession	0100 to 0600 SUN SUN	

PROTECTION LIMITS

Down Cambridge: L1147 to L1157

Up Cambridge/Platform 3 (Bishops Stortford)/Up Passenger Loop (Bishops Stortford): L1170 to L1150

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
EA1160 BETHNAL GREEN EAST JN TO BISHOPS STORTFORD - Continued		
MONDAY 25 AUGUST		
Ref. No. P2025/4225684	Possession Manager	Anglia IMDM Tottenham Hale
Item 96	Tottenham Hale and Waltham Cross	Down Cambridge Possession
		0105 to 0420 MON MON
		OHL Work (Maintenance) 6m1ch and 12m6ch W2025/11459705
	Up Cambridge Possession	0105 to 0420 MON MON
		S&T Maintenance 6m12ch and 7m47ch W2025/10887540
	Lea Bridge Jn and Meridian Water	Lea Valley Reversible Possession
		0105 to 0420 MON MON
		P & D Maintenance 10m61ch and 12m6ch W2025/11499627
	Coppermill Jn and Cheshunt Jn	Down and Up Cambridge BLOCKED To A/C Electric Trains
		0105 to 0420 MON MON
	Coppermill Jn and Lea Bridge Jn	Lea Valley Reversible BLOCKED To A/C Electric Trains
		0105 to 0420 MON MON
	Coppermill Jn	Down and Up Temple Mills BLOCKED To A/C Electric Trains
		0105 to 0420 MON MON

ISOLATION OF ELECTRICAL SECTIONS

0105 MON TO 0420 MON: 411,412,461,462,463
ISOLATION REF...WA03

PROTECTION LIMITS

Down Cambridge: L1015# to L1049#
Up Cambridge: L1052 to L1014#
Lea Valley Reversible: Buffer Stops Meridian Water to L1002#

GENERAL REMARKS

W/11459705 BRIMSDOWN AND ENFIELD LOCK BARRIERS TO BE MANNED AS REQUIRED (TOTTENHAM DU TO SUPPLY STAFF)

MONDAY 25 AUGUST

Ref. No. P2025/4057365 Possession Manager Anglia IMDM Tottenham Hale

Item 97	Spellbrook LC (CCTV) and Bishops Stortford C/End	Down and Up Cambridge Line Blockage (Between Trains)+Disconnect	0100 to 0600 MON MON	S&T Maintenance 29m5ch and 30m65ch W2025/10887464
	Bishops Stortford	Platform 3/Up Passenger Loop Line Blockage (Between Trains)+Disconnect	0100 to 0600 MON MON	
		Down and Up Sidings Sidings Possession	0100 to 0600 MON MON	

PROTECTION LIMITS

Down Cambridge: L1147 to L1157
Up Cambridge/Platform 3 (Bishops Stortford)/Up Passenger Loop (Bishops Stortford): L1170 to L1150

SECTION B - ENGINEERING ARRANGEMENTS.

	At or Between	Lines Affected			Remarks
<u>EA1160 BETHNAL GREEN EAST JN TO BISHOPS STORTFORD - Continued</u>					
FRIDAY 29 AUGUST					
Ref. No.	P2025/4220579		Possession Manager	Anglia IMDM Tottenham Hale	
Item 115	Cheshunt C/End and Bishops Stortford L/End Broxbourne	Down and Up Cambridge Possession	0100 FRI	to 0400 FRI	OHL Work (Maintenance) 15m0ch and 26m15ch W2025/11430810 P-Way Maintenance 19m0ch and 26m15ch W2025/11495241 Drainage Work 21m70ch and 24m40ch W2025/11406386 PL Tamping 26m40ch and 27m50ch W2025/11537275
	Harlow Town	Down Passenger Loop/Platform 4 (Broxbourne) Possession	0100 FRI	to 0400 FRI	
	Harlow Mill	Down Goods Loop Possession	0100 FRI	to 0400 FRI	
	Harlow Town	Up Passenger Loop/Platform 1 (Harlow Town) Possession	0100 FRI	to 0400 FRI	
	Broxbourne	Up Passenger Loop/Platform 1 Possession	0100 FRI	to 0400 FRI	
		Up Goods Loop Possession	0100 FRI	to 0400 FRI	
	Broxbourne Jn and Rye House	Down and Up Hertford Possession	0100 FRI	to 0400 FRI	
	Harlow Mill	Up Sidings Sidings Possession	0100 FRI	to 0400 FRI	
	Cheshunt Jn and Cheshunt	Down and Up Cambridge TRAINS BLOCKED To A/C Electric	0100 FRI	to 0355 FRI	
		Bay Platform TRAINS BLOCKED To A/C Electric	0100 FRI	to 0355 FRI	

ISOLATION OF ELECTRICAL SECTIONS

0100 FRI TO 0355 FRI:413,414

ISOLATION REF...WA09

PROTECTION LIMITS

Down Cambridge/Down Passenger Loop(Broxbourne)/Platform 4(Broxbourne)/Down Passenger Loop (Harlow Town)/Platform 4 (Harlow Town)/Down Goods Loop (Harlow Mill): L1061 to L1129#

Up Cambridge//Up Passenger Loop (Harlow Town)/Platform 1 (Harlow Mill)/Up Passenger Loop (Broxbourne)/Platform 1(Broxbourne)/Up Goods Loop(Broxbourne): L1142# to L1064

Down Hertford: Approach L1231#

Up Hertford: Beyond L1230#

TRAFFIC REMARKS

PANTOGRAPHS TO BE LOWERED ON TRAINS STABLED AT CHESHUNT BAY PLATFORM BETWEEN 0100 FRI TO 0355 FRI

GENERAL REMARKS

W/11495241 ROYDON BARRIERS TO BE MANNED AS REQUIRED (TOTTENHAM DU TO SUPPLY STAFF)

W/11430810 WHARF ROAD BARRIERS TO BE MANNED AS REQUIRED (TOTTENHAM DU TO SUPPLY STAFF)

W/11537275 PL TAMPER IN USE OTM881946

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
---------------	----------------	---------

EA1170 HACKNEY DOWNS NORTH JN TO ENFIELD TOWN - Continued**SUNDAY 24 AUGUST**

Ref. No. P2025/4245362 Possession Manager Anglia Works Delivery

Item 169	Hackney Downs North Jn and Edmonton Green Seven Sisters Jn	Down and Up Southbury Line Blockage +Detonators Up/Down Seven Sisters Chord Line Blockage +Detonators	0115 to 0720 SUN SUN 0115 to 0720 SUN SUN	OHL Work 3m7ch and 8m0ch W2025/11528402
----------	--	--	--	---

PROTECTION LIMITS

Down Southbury: L1303 to L1349

Up Southbury: L1344 to L1302

Up/Down Seven Sisters Chord: Beyond L1327

TUESDAY 26 AUGUST

Ref. No. P2025/4056936 Repeated item, please see details under route EA1160

Item 98

TUESDAY 26 AUGUST

Ref. No. P2025/4134927 Possession Manager Railscape Limited

Item 170	Bush Hill Park and Enfield Town	Down and Up Enfield Line Blockage	0055 to 0530 TUE TUE	Station Work 10m45ch and 10m55ch W2025/11198846
	Enfield Town	Platforms 1-3 Line Blockage	0055 to 0530 TUE TUE	

PROTECTION LIMITS

Down Enfield/Platform 1 (Enfield Town): L1365 to Buffer Stops Platform 1 Enfield Town

Platforms 2-3 (Enfield Town)/Up Enfield: Buffer Stops Platforms 2-3 Enfield Town to L1356

TRAFFIC REMARKS

NO TRAINS TO BE STABLED IN PLATFORM 1-3 AT ENFIELD TOWN STATION

WEDNESDAY 27 AUGUST

Ref. No. P2025/4240321 Possession Manager Anglia IMDM Tottenham Hale

Item 171	Bury Street Jn and Enfield Town	Down and Up Enfield Line Blockage +Detonators	0040 to 0530 WED WED	Track Maintenance 9m35ch and 10m55ch W2025/11513597
	Enfield Town	Platforms 1-3 Line Blockage +Detonators	0040 to 0530 WED WED	

PROTECTION LIMITS

Down Enfield/Platform 1 (Enfield Town): L2674 pts to Buffer Stops Platform 1 Enfield Town

Platforms 2 & 3 (Enfield Town)/Up Enfield: Buffer Stops Platforms 2 & 3 Enfield Town to L2675B pts

SECTION B - ENGINEERING ARRANGEMENTS.

At or Between	Lines Affected	Remarks
---------------	----------------	---------

EA1170 HACKNEY DOWNS NORTH JN TO ENFIELD TOWN - Continued**THURSDAY 28 AUGUST**

Ref. No. P2025/4240285 Possession Manager Anglia IMDM Tottenham Hale

Item 172	Bury Street Jn and Enfield Town	Down and Up Enfield Line Blockage +Detonators	0040 THU	to 0530 THU	Track Maintenance 9m35ch and 10m55ch W2025/11513609
	Enfield Town	Platforms 1-3 Line Blockage +Detonators	0040 THU	to 0530 THU	

PROTECTION LIMITS

Down Enfield/Platform 1 (Enfield Town): L2674 pts to Buffer Stops Platform 1 Enfield Town
 Platforms 2 & 3 (Enfield Town)/Up Enfield: Buffer Stops Platforms 2 & 3 Enfield Town to L2675B pts

FRIDAY 29 AUGUST

Ref. No. P2025/4056939 Repeated item, please see details under route EA1160

Item
112**FRIDAY 29 AUGUST**

Ref. No. P2025/4240286 Possession Manager Anglia IMDM Tottenham Hale

Item 173	Bury Street Jn and Enfield Town	Down and Up Enfield Line Blockage +Detonators	0040 FRI	to 0530 FRI	Track Maintenance 9m35ch and 10m55ch W2025/11513695
	Enfield Town	Platforms 1-3 Line Blockage +Detonators	0040 FRI	to 0530 FRI	

PROTECTION LIMITS

Down Enfield/Platform 1 (Enfield Town): L2674 pts to Buffer Stops Platform 1 Enfield Town
 Platforms 2 & 3 (Enfield Town)/Up Enfield: Buffer Stops Platforms 2 & 3 Enfield Town to L2675B pts

EA1180 READING LANE JN TO NAVARINO ROAD JN (GRAHAM ROAD CURVE)**SUNDAY 24 AUGUST**

Ref. No. P2025/4057600 Repeated item, please see details under route EA1320

Item
219**TUESDAY 26 AUGUST**

Ref. No. P2025/4056936 Repeated item, please see details under route EA1160

Item
98

SECTION D – GENERAL INSTRUCTIONS AND NOTICES

** Items marked thus will not appear in future issues and a note must be taken of them by all concerned
A thick vertical line denotes new or amended items

Important Guidelines for Submitting Safety 'C' or 'D' items. All submissions must be made using section C and/or D electronic forms from this link www.railnotices.net.

AMENDMENTS TO OPERATING PUBLICATIONS

SIGNAL BOX & GSM-R TELEPHONE NUMBERS – ANGLIA

NO ITEMS

PREVIOUSLY AMENDED GENERAL INSTRUCTIONS

Page No	Instruction Name and Sub Heading (if required)	Explanation of Change	Ref	Date Last Published

Copies of the latest General Instructions are currently published on the National Electronic Sectional Appendix (NESA).

If you are a Network Rail employee and do not currently have access to NESA you can request access by going to the Connect IT Helpdesk (Miscellaneous requests).

If you are non-Network Rail employee and would like access to NESA please email your request to NESA@networkrail.co.uk.

Alternatively you can obtain a copy of these or any other General Instructions by contacting the PlanningPublications@networkrail.co.uk.

(UFN)

MODULE AR1 - GENERAL INSTRUCTIONS

** Hard copy Sectional Appendix page 30

STABLING OF TRAINS

Explanation of Change: ADD EA1013 (Down and Up Loop) to list of approved locations for Stabling of Trains.

When stabled on a running line during darkness or other conditions of poor visibility the person in charge must place a red light at the end(s) of the train to face any movement that may approach on the same line.

Trains must not be stabled on running lines, except:

- On platform lines at terminal stations
- On dead end bay platforms at through stations
- At the following locations shown below

EA1013 Trowse Junction to Norwich

Down and Up Loop

AR Route GI -Dated:02/08/2025
(D22863) (02/08/2025) (22)

PREVIOUSLY AMENDED TABLE A DIAGRAMS

LOR	Seq	Line of Route Description	Explanation of Change	Ref	Date Published
EA1011	012	Seven Kings To Ipswich	Brickhouse crossover removal	D22719	14/06/2025
EA1161	003	Bishops Stortford To Ely North Jn	Removal of Windmills LC (FPS) 41m 26ch	D22808	05/07/2025
EA1161	007	Bishops Stortford To Ely North Jn	Relocation and recommissioning of the hot axle bot detector at Shepreth Branch Junction	D22700	29/05/2025
EA1230	002	ROYSTON TO SHEPRETH BRANCH JN	Correction to the naming of Angle Lane (R/G). SA shows name incorrectly as "Angel Lane".	D22697	31/05/2025
EA1530	007	Coldham Lane Jn to Hackney	Removal of Lord's N0.29 LC (FPS) 37m 58ch	D22812	12/07/2025
EA1560	001	Ely North Jn To Peterborough	EA1560-001 Location Coffue Drove level crossing is now closed	D22835	19/07/2025
EA1560	008	Ely North Jn To Peterborough	Clips and Padlocks removed from All Whittlesea S&C	D22650	27/05/2025
EA1580	008	Ely North Jn to Trowse Jn	Wyndham Up siding temporarily reduced in length	D22630	17/05/2025

Copies of the latest drawings are currently published on the National Electronic Sectional Appendix (NESA)

If you are a Network Rail employee and do not currently have access to NESA you can request access by going to the Connect IT Helpdesk (Miscellaneous requests)

If you are non Network Rail and would like access to NESA please email your request to NESA@networkrail.co.uk

(UFN)

SECTION D – GENERAL INSTRUCTIONS AND NOTICES

** Items marked thus will not appear in future issues and a note must be taken of them by all concerned

A thick vertical line denotes new or amended items

AMENDMENTS TO OPERATING PUBLICATIONS – Continued**NETWORK RAIL ANGLIA ROUTE SECTIONAL APPENDIX****DATED 05 AUGUST 2006 – Continued****PREVIOUSLY AMENDED EXCEPTIONALLY POOR RAIL ADHESION,
SPECIAL WORKING ARRANGEMENTS AND LOCAL INSTRUCTIONS**

Table	Explanation of Change	Reference	Date of change
-------	-----------------------	-----------	----------------

Copies of the latest Local Instructions are currently published on the National Electronic Sectional Appendix (NESA).

If you are a Network Rail employee and do not currently have access to NESA you can request access by going to the Connect IT Helpdesk (Miscellaneous requests).

If you are non-Network Rail employee and would like access to NESA please email your request to NESA@networkrail.co.uk.Alternatively you can obtain a copy of these or any other Exceptional Poor Rail Adhesion, Special Working Arrangements or Local Instructions by contacting the PlanningPublications@networkrail.co.uk.

(D11599) (11/03/17) (UFN)

EXCEPTIONALLY POOR RAIL ADHESION

Hard copy Sectional Appendix page 11

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: ARCHIVE below instruction.

EA1010 (LIVERPOOL STREET TO SEVEN KINGS)

Location	Line(s) Affected	Mileage (Between)
Forest Gate Station	Up & Down Elec	04 m 71 ch to 05 m 5 Ch 1

ARCHIVED: 23/08/2025

(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 11

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1011 (SEVEN KINGS TO IPSWICH)

Location	Line(s) Affected	Mileage (Between)
Brentwood Bank to Ingatestone	Up	17 m 16 ch to 24 m 0 ch
Ingatestone to Brentwood Bank	Down	24 m 00 ch to 17 m 16 ch
Manningtree	Down	59 m 40 ch to 58 m 69 ch

Dated: 23/08/2025

(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 11

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1012 (IPSWICH TO TROWSE JUNCTION)

Location	Line(s) Affected	Mileage (Between)
Ipswich Station to Ipswich East Suffolk Jn	Up	68 m 60 ch to 69 m 40 ch
Ipswich Station to Ipswich East Suffolk Jn	Down	69 m 40 ch to 68 m 60 ch

Dated: 23/08/2025

(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 11

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1040 (ROMFORD TO UPMINSTER)

Location	Line(s) Affected	Mileage (Between)
Romford to Upminster	Single	0 m 00 ch to 03 m 30 ch

Dated: 23/08/2025

(D22902) (23/08/2025) (25)

SECTION D – GENERAL INSTRUCTIONS AND NOTICES

** Items marked thus will not appear in future issues and a note must be taken of them by all concerned
A thick vertical line denotes new or amended items

AMENDMENTS TO OPERATING PUBLICATIONS – Continued**NETWORK RAIL ANGLIA ROUTE SECTIONAL APPENDIX****DATED 05 AUGUST 2006 – Continued****EXCEPTIONALLY POOR RAIL ADHESION – Continued**

Hard copy Sectional Appendix page 12

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1120 (MANNINGTREE (NORTH & SOUTH JNS) TO HARWICH TOWN)

Location	Line(s) Affected	Mileage (Between)
Manningtree East Jn to Mistley	Down	59 m 67 ch to 61 m 60 ch
Harwich International to Wrabness	Up	65 m 00 ch to 68 m 00 ch

Dated: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 12

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: ARCHIVE below instruction.

EA1160 (BETHNAL GREEN EAST JN TO BISHOPS STORTFORD)

Location	Line(s) Affected	Mileage (Between)
Clapton	Up & Down	03 m 66 ch to 04 m 24 ch
Roydon	Up & Down	19 m 40 ch to 20 m 20 ch
Sawbridgeworth	Up & Down	26 m 25 ch to 27 m 30 ch

ARCHIVED: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 12

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: ARCHIVE below instruction.

EA1161 (BISHOPS STORTFORD TO ELY NORTH JN)

Location	Line(s) Affected	Mileage (Between)
Elsenham Station	Up & Down	35 m 25 ch to 35 m 65 ch
Audley End	Up & Down	41 m 25 ch to 42 m 70 ch

ARCHIVED: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 13

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1170 (HACKNEY DOWNS NORTH JN TO ENFIELD TOWN)

Location	Line(s) Affected	Mileage (Between)
Hackney Downs to White Hart Lane	Up	03 m 70 ch to 08 m 70 ch
White Hart Lane to Hackney Downs	Down	08 m 70 ch to 03 m 70 ch

Dated: 23/08/2025
(D22902) (23/08/2025) (25)

SECTION D – GENERAL INSTRUCTIONS AND NOTICES

** Items marked thus will not appear in future issues and a note must be taken of them by all concerned
A thick vertical line denotes new or amended items

AMENDMENTS TO OPERATING PUBLICATIONS – Continued**NETWORK RAIL ANGLIA ROUTE SECTIONAL APPENDIX****DATED 05 AUGUST 2006 – Continued****EXCEPTIONALLY POOR RAIL ADHESION – Continued**

Hard copy Sectional Appendix page 13

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: ARCHIVE below instruction.

EA1190 (BURY STREET JN TO CHESHUNT JN)

Location	Line(s) Affected	Mileage (Between)								
Southbury	Up & Down	10	m	12	ch	to	10	m	62	ch
Turkey Street	Up & Down	11	m	65	ch	to	12	m	45	ch
Theobolds Grove	Up & Down	13	m	20	ch	to	14	m	15	ch

ARCHIVED: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 13

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: ARCHIVE below instruction.

EA1200 (CLAPTON JN TO CHINGFORD)

Location	Line(s) Affected	Mileage (Between)								
Clapton Jn - Walthamstow Central	Up & Down	04	m	40	ch	to	06	m	45	ch
Wood Street Station	Up & Down	06	m	62	ch	to	07	m	35	ch
Highams Park	Up & Down	08	m	10	ch	to	08	m	70	ch
Chingford	Up & Down	10	m	00	ch	to	10	m	33	ch

ARCHIVED: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 13

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: ARCHIVE below instruction.

EA1210 (BROXBORNE JN TO HERTFORD EAST)

Location	Line(s) Affected	Mileage (Between)								
Rye House	Up & Down	18	m	37	ch	to	19	m	15	ch
St Margarets	Up & Down	20	m	00	ch	to	20	m	75	ch
Ware	Down	21	m	11	ch	to	22	m	32	ch
Ware	Up	22	m	45	ch	to	22	m	02	ch
Hertford East	Up & Down	23	m	12	ch	to	24	m	05	ch

ARCHIVED: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 14

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1220 (STANSTED SOUTH & NORTH JN S TO STANSTED AIRPORT)

Location	Line(s) Affected	Mileage (Between)								
Stansted Tunnel to Stansted Nth Jn	Single	35	m	15	ch	to	00	m	00	ch

Dated: 23/08/2025
(D22902) (23/08/2025) (25)

SECTION D – GENERAL INSTRUCTIONS AND NOTICES

** Items marked thus will not appear in future issues and a note must be taken of them by all concerned
A thick vertical line denotes new or amended items

AMENDMENTS TO OPERATING PUBLICATIONS – Continued**NETWORK RAIL ANGLIA ROUTE SECTIONAL APPENDIX****DATED 05 AUGUST 2006 – Continued****EXCEPTIONALLY POOR RAIL ADHESION – Continued**

Hard copy Sectional Appendix page 14

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1310 (CAMDEN ROAD WEST JN TO RICHMOND)

Location	Line(s) Affected	Mileage (Between)
Gunnersbury	Up	10 m 18 ch to 02 m 63 ch

Dated: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 14

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: ARCHIVE below instruction.

EA1320 (CAMDEN ROAD WEST JUNCTION TO STRATFORD)

Location	Line(s) Affected	Mileage (Between)
Highbury & Islington	Up & Down	03 m 60 ch to 03 m 36 ch
Canonbury	Up & Down	02 m 50 ch to 03 m 20 ch
Dalston Jn	Down No. 2 line	02 m 33 ch to 02 m 38 ch
Hackney Central - Homerton	Up & Down	01 m 00 ch to 02 m 07 ch

ARCHIVED: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 14

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: ARCHIVE below instruction.

EA1370 (GOSPEL OAK TO BARKING TILBURY LINE JN WEST)

Location	Line(s) Affected	Mileage (Between)
Crouch Hill	Up & Down	3 m 28 ch to 4 m 01 Ch
Blackhorse Road	Up & Down	7 m 21 ch to 7 m 40 Ch
Walthamstow Queens Rd.	Up & Down	7 m 40 ch to 8 m 40 Ch
Leyton Midland Road	Up & Down	9 m 22 ch to 9 m 45 Ch

ARCHIVED: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 15

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: ..

EA1380 (FENCHURCH STREET TO SHOEBURYNESS)

Location	Line(s) Affected	Mileage (Between)
Upminster	Up	14 m 0 ch to 15 m 40 ch
Upminster	Down	15 m 40 ch to 14 m 0 ch

Dated: 23/08/2025
(D22902) (23/08/2025) (25)

SECTION D – GENERAL INSTRUCTIONS AND NOTICES

** Items marked thus will not appear in future issues and a note must be taken of them by all concerned
A thick vertical line denotes new or amended items

AMENDMENTS TO OPERATING PUBLICATIONS – Continued**NETWORK RAIL ANGLIA ROUTE SECTIONAL APPENDIX****DATED 05 AUGUST 2006 – Continued****EXCEPTIONALLY POOR RAIL ADHESION – Continued**

Hard copy Sectional Appendix page 16

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1540 (CHIPPENHAM JN TO ELY DOCK JN)

Location	Line(s) Affected	Mileage (Between)
Soham	Single	07 m 60 ch to 08 m 25 ch

Dated: 23/08/2025
(D22902) (23/08/2025) (25)

Hard copy Sectional Appendix page 16

EXCEPTIONALLY POOR RAIL ADHESION

Explanation of Change: REPLACE current instruction with the below: .

EA1580 (ELY NORTH JN TO TROWSE JN)

Location	Line(s) Affected	Mileage (Between)
Attleborough	Up	108 m 19 ch to 108 m 49 ch
Attleborough	Down	108 m 49 ch to 108 m 19 ch
Wymondham	Up	114 m 20 ch to 113 m 70 ch
Wymondham	Down	113 m 70 ch to 114 m 20 ch

Dated: 23/08/2025
(D22902) (23/08/2025) (25)

PREVIOUSLY AMENDED ROUTE CLEARANCE TABLES

Table	Explanation of Change	Reference	Date of change

Copies of these updated Route Clearance Tables are currently published on the National Electronic Sectional Appendix (NESA).

If you are a Network Rail employee and do not currently have access to NESA you can request access by going to the Connect IT Helpdesk (Miscellaneous requests)

If you are non Network Rail and would like access to NESA please email your request to NESA@networkrail.co.ukAlternatively you can obtain a copy of these or any other Route Clearance tables by contacting the PlanningPublications@networkrail.co.uk

(UFN)

NOTICES & AMENDMENTS BY LINE OF ROUTE CODE**EA1010 LIVERPOOL STREET TO SEVEN KINGS****SEVEN KINGS STATION****FROM 04:00 MONDAY 27TH JANUARY 2025 UNTIL MONDAY 24TH NOVEMBER 2025**

In connection with staircase replacement works at Seven Kings station (8m45ch), scaffolding will be erected at the country end of Platform 2 (Down Main) and Platform 3 (Up Electric).

The Scaffolding may be a source of distraction for drivers, so advanced notice is being given

(D22286) (27/01/2025) (35-2025)

EA1390 BARKING TILBURY LINE JN EAST TO PITSEA JN (VIA TILBURY)****MUCKING INTERLOCKING****FROM 0100 HOURS TUESDAY 26 AUGUST****UNTIL 0130 HOURS TUESDAY 26 AUGUST**

The following signalling area will be affected by the test.

- UP TILBURY UR734 UR688 + UR884
- DN TILBURY UR687 UR733

(D22851) (D/5826) (26/08/2025) (22)

SECTION D – GENERAL INSTRUCTIONS AND NOTICES

** Items marked thus will not appear in future issues and a note must be taken of them by all concerned

A thick vertical line denotes new or amended items

AMENDMENTS TO OPERATING PUBLICATIONS – Continued**NETWORK RAIL KENT/SUSSEX/WESSEX ROUTES SECTIONAL APPENDIX**

DATED 05 DECEMBER 2009 Continued

**PREVIOUSLY AMENDED EXCEPTIONAL POOR RAIL ADHESION,
SPECIAL WORKING ARRANGEMENTS AND LOCAL INSTRUCTIONS**

Page No	LOR and Sub Heading	Explanation of Change	Ref	Date Last Published

Copies of the latest Local Instructions are currently published on the National Electronic Sectional Appendix (NESA).

If you are a Network Rail employee and do not currently have access to NESA you can request access by going to the Connect IT Helpdesk (Miscellaneous requests).

If you are non-Network Rail employee and would like access to NESA please email your request to NESA@networkrail.co.uk.

Alternatively you can obtain a copy of these or any other Exceptional Poor Rail Adhesion, Special Working Arrangements or Local Instructions by contacting the PlanningPublications@networkrail.co.uk.

(D11599) (11/03/17) (UFN)

PREVIOUSLY AMENDED ROUTE CLEARANCE TABLES

Table	Explanation of Change	Reference	Date of change

Copies of these updated Route Clearance Tables are currently published on the National Electronic Sectional Appendix (NESA)

If you are a Network Rail employee and do not currently have access to NESA you can request access by going to the Connect IT Helpdesk (Miscellaneous requests)

If you are non Network Rail and would like access to NESA please email your request to NESA@networkrail.co.uk

Alternatively you can obtain a copy of these or any other Route Clearance tables by contacting the PlanningPublications@networkrail.co.uk

(D16665) (28/03/2020) (UFN)

NOTICES & AMENDMENTS BY LINE OF ROUTE CODE

NO ITEMS

MISCELLANEOUS INSTRUCTIONS

MULTIPLE SPAD SIGNALS ANGLIA ROUTE

The following signals have been passed at Danger without authority 2 or more times in the last 5 years

Signal	Location	Line	ELR	Signalbox	Date of latest SPAD	Events since 1985	Events in current 5 years	TPWS fitted at signal
CA721	Cambridge CS	Goods line (Down direction)	BGK	Cambridge	20/07/2022	6	2	N
CO698	Haughley Junction	Up Bury			24/10/2023	3	2	N
GB8	Gunnersbury	Up Richmond		Richmond Signal Box		2	2	Y
L265	Stratford	Up Main	LTN1	Stratford	01/02/2024	4	2	Y
L343	Ilford	Down Electric	LTN1	Liverpool Street	25/03/2020	2	2	Y
NL101	Gospel Oak Junction	Up North London	BOK2	Upminster SCC (NLL)	07/08/2024	2	2	Y
NL1036	Willesden Junction High Level	Up North London	BOK2	Upminster	18/12/2021	4	2	Y
NL1301	Gospel Oak	Bay Platform 3	GOJ	Upminster Central Workstation	24/03/2020	3	3	Y
UR601	Barking	Down T&H	TAH3	Upminster	02/03/2022	4	2	Y
CA483	Chippenham Jn	Down Ely	SOB2	Cambridge	19/09/2024	15	3	Y

Last updated: 26/04/2025

Explanation of change: Signal GB8 has been added to the table.

(D22592) (26/04/2025) (RSSB) (UFN)

SECTION D – GENERAL INSTRUCTIONS AND NOTICES

Items marked thus will not appear in future issues and a note must be taken of them by all concerned

A thick vertical line denotes new or amended items

MISCELLANEOUS INSTRUCTIONS – Continued****WEED SPRAYING TRAINS ARE IN OPERATION**

In 2025 multi-purpose vehicles (MPVs) and Envu (previously Bayer) trains will be delivering the national train-borne weed spray programme.

If any staff are on or near the line when a Weed Control Train approaches, they should take the following action:

- On the approach of the Weed Control Train staff must acknowledge and move to a position of safety
- Remain in the position of safety; **Make themselves visible** to the Weed Control Train. If the spray operators can see anyone who is working in the vicinity, they will suspend spraying as they pass the site.
- Staff should not 'hide' behind bushes in an attempt to avoid being sprayed. In such cases the spray operators may not see staff and the spray jets are specifically designed to penetrate bushes.

The herbicides deployed by the Weed Control Train are biodegradable, non-irritant and non-harmful at the low concentrations used. In the unlikely event that staff are sprayed accidentally it is recommended that they take the following actions:

- If the eyes have been sprayed, rinse immediately with clean, water for 15 minutes and obtain medical aid if any discomfort is felt thereafter.
- Rinse any exposed skin with clean water and wash with soap and water afterwards.
- Avoid eating, drinking, or smoking until this procedure has been carried out.
- Change any sprayed clothing at the earliest convenient time and retain in a plastic bag for collection.
- Report the incident to the Route Operations Control.
- Should any member of staff be sprayed they may obtain advice from SCO 24:7 Seasonal Controller 01908 723500 (Option 8)
- If you have any medical concerns, please call the non-emergency NHS number – 111.

Should any member of staff require any further information or advice please contact:

SCO 24:7 Seasonal Controller 01908 723500 (Option 8)
(D22409) (22/03/2025) (22)

MISCELLANEOUS INSTRUCTIONS**REPLACEMENT OF DOO STATION EQUIPMENT AT KENT ROUTE STATIONS**

FROM WEDNESDAY 01 MAY 2024 UNTIL WEDNESDAY 01 MAY 2028

*****PLEASE NOTE THE END DATE HAS BEEN EXTENDED SINCE FIRST PUBLISHED*****

Driver Only Operation (DOO) equipment is gradually being replaced. The work mainly entails replacement of monitors and occasionally metalwork such as camera housings and monitor housings with new units at Kent route stations. Work will be undertaken between trains booked to call, or during white periods overnight.

Any queries should be directed to either Darren Goodall, or Doug Mackenzie – NR DOO Section Managers Kent.

(D/5341 – D20688) (27/04/2024) (UFN)